INDEX TO VOLUME 4

[New names in **bold-face** type]

A

Ahrens, T., review of Priemel's Gedenken über die Möglichkeit der Erhaltung des Wisents, 197.
Alces americanus, 69.
Allen, G. M., Additional remains of the fossil dugong of Florida, 231; review of Borradaile's The animal and its environment, 267; The red bat in Bermuda, 61.
Anthony, A. W., Notes on the young of the southern pocket gopher, 126; Periodical emigrations of mammals, 60.
Antilocapra americana, 185.
Antrozous pacificus, 260.
articles of incorporation, 271.
Ashbrook, F. G., Trade names in the fur industry, 216.

B

badger, 109.
Bailey, B., Meat-eating propensities of some rodents of Minnesota, 129.
Bailey, V., Bears eat cascara berries, 53; Buffalo in Oregon, 254; Collecting tracks, 195; Joseph D. Mitchell, 48; The combing claws of the beaver, 77.
Barnes, C. T., The Utah mammal list, 194.
bassaris, Texas, 54.
Bassariscus flavus, 54.
bat, big brown, 250.
  brown, 264.
  Georgia, 264.
  hoary, 192, 251.
  little brown, 250.
bat, Pacific pallid, 260.
  red, 61, 251, 264.
  Say's, 250.
  silvery-black, 250.
  twilight, 264.
bear, 53.
  black, 251.
  brown, 51, 52.
  grizzly, 51, 53.
beaver, 59, 66, 77, 92, 111, 191, 248.
Berardius bairdii, 209.
Bernard, J. F., Local walrus protection in northeast Siberia, 224.
Berry, S. S., Observations on a Montana beaver canal, 92.
Bishop, S. C., Notes on the nest and young of the small brown weasel, 26.
Bison bison, 112.
bison, American, 112.
Blarina brevicauda, 108, 249.
  carolinensis, 264.
Brannon, P. A., Cacomixtl in Alabama, 54.
Brimley, C. S., Breeding dates of small mammals at Raleigh, North Carolina, 263; The star-nosed mole in eastern North Carolina, 183.
Brooks, A. B., Reappearance of beavers in West Virginia, 191.
Brooks, F. E., Moles destroy wasps' nests, 183; Note on a feeding habit of the gray squirrel, 257.
Brown, L. P., Fire and its effects on wild life, 195; Notes on a few mice, rabbits, and other animals, 258.
buffalo, 254.
Burrell, H., The nest of a chimpanzee, 178.

C

Cabrera, A., On the identification of Simia syrichta Linnæus, 89.
cacomixtl, 54.
Canis gigas, 54.
nebracensis, 108.
nubilus, 108.
occidentalis, 252.
caribou, 121, 122, 253.
Castor canadensis, 68, 111, 248.
cat, hydrophobia, 49.
wild, 252.
Cebus capucinus, 70.
variegatus, 70.
Ceratotherium cottoni, 156.
mauritanicum, 156.
simum, 155.
chimpanzee, 178.
chipmunk, 29, 135, 256.
northeastern, 248.
Citellus beecheyi, 58.
fisheri, 266.
franklinii, 111.
mollis, 191.
townsendi, 194.
tridecemlineatus, 111, 129.
Cobb, S., Studies in mammalian neuropathology. I. Cerebral cholesteatoma in the horse, 221.
Condylura cristata, 167, 250.
cottontail, Mearns, 112.
prairie, 245.
coyote, 108, 180.
Cram, W. E., Another swimming woodchuck, 256; The tussle on Tide Water Creek, 22.
Cryptotis parva, 264.

D

deer, northern Virginia, 245.
Dice, L. R., Lethal dose of strychnine for the Norway rat, 188; Life zones and mammalian distribution, 39; Notes on Praotherium palatinum Cope, 260; Notes on some mammals of Riley County, Kansas, 107; Notes on the fossil leporid genus Panolax, 191.
Dickey, D. R., An extension of the range of the muskrat in California, 55; Evidence of interrelation between fox and caribou, 121.
Didelphis virginiana, 107, 263.
Dipodomys simiolus, 57.
spectabilis, 255.
Dixon, J., review of Vorhies and Taylor's Life history of the kangaroo rat, 130.

E

Elephantulus rozeti, 261.
elk, 252.
English, P. F., The dusky-footed wood rat (Neotoma fuscipes), 1.
Eptesicus fuscus, 250, 264.
Erethizon dorsatum, 246.
dorsatus, 67.
epixanthus, 67.
Erignathus barbatus, 214.
Erinaceus enropæus, 69.
Eutamias, 135.
townsendii, 257.
Evotomys gapperi, 246.

F

Fiber zibethicus, 247, 264.
flying-squirrel, northern, 249.
fox, 121, 122, 253.
gray, 180.
red, 108, 180, 251.
silver, 184, 218.

G

Gabrielson, I. N., Notes on Thomomys in Oregon, 189.
Geomys bursarius, 111.
Gianini, C. A., Caribou and fox, 253.
Gidley, J. W., Observations on the Miocene species Ursus primaevus Gaillard, 240.
Glaucomys sabrinus, 249.
gopher, pocket, 37, 126, 139.

Grinnell, G. B., Foxes in captivity, 184; The "unprovoked" attack by a bear, 52.
Grinnell, J., The burrowing rodents of California as agents in soil formation, 137.
ground-squirrel, gray, 111.
striped, 111, 129.

H

Hall, E. R., Occurrence of the hoary bat at Lawrence, Kansas, 192.
Hanna, G. D., Rare mammals of the Pribilof Islands, Alaska, 209.
hare, European, 246.
varying, 245, 264.
Hatt, R. T., Food habits of the Pacific pallid bat, 260; Notes on some captive deer-mice, 186.
Henderson, A. D., Cyles of abundance and scarcity in certain mammals and birds, 264.
Henninger, W. F., On the status of Mustela allegheniensis, 121.
Hisaw, F. L., Feeding habits of moles, 9; Observations on the burrowing habits of moles (Scalopus aquaticus machrinoides), 79.
Hollister, N., Museum preservation of incisor teeth of Ruminantia, 123; review of Cabrera's Manual de mastozoología, 130.
Holt, E. G., Monkeys as human food, 193.
Homo sapiens, 71.
Horn, E. E., Some notes concerning the breeding habits of Thomomys townsendi, observed near Vale, Malheur County, Oregon, during the spring of 1921, 37.
horse, 221.
Howell, A. B., Abnormal hairy growths upon the tails of the Heteromyidæ, 56; Corrected type localities of some Californian mammals, 266; Description of a new microtine rodent from Oregon, with remarks on some contiguous forms, 33; Mole notes, 253; Periodic fluctuations in the numbers of small mammals, 149; The mammal collections of North America, 113.
Howell, A. H., Hibernating habits of chipmunks, 135.
Hoy, C. M., The present status of the Australian mammal fauna, 164.
Hubbard, W. D., Big game in Rhodesia, 228.
Hylobates concolor, 70.

J

Jackson, H. H. T., Fifth annual meeting of the American Society of Mammalogists, 205; review of Thomson's Outlines of zoology, 131.
Jacobsen, W. C., Rate of reproduction in Citellus beecheyi, 58.
Jewett, S. G., A breeding record of Citellus mollis, 191; A breeding record of Phenacomys longicaudus, 125; Canis gigas in the Blue Mountains of Oregon, 54.
Johnson, C. E., A recent report of the wolverene in Minnesota, 54; Aquatic habits of the woodchuck, 105.
Jones, S. V. H., Color variations in wild animals, 172.

K

Kirk, G. L., Beaver introduced in Vermont, 59.
Klugh, A. B., Notes on the habits of the chipmunk, Tamias striatus lysteri, 29.
Kuroda, N., and T. Mori, Two new and rare mammals from Corea, 27.

L

Lang, H., Caudal and pectoral glands of African elephant shrews (Elephantulus), 261; Recent and historical notes on the square-lipped rhinoceros (Ceratotherium simum), 155.

Lasionycteris noctivagans, 250.
lemming-vole, 110, 246.
Lepus campanius, 111.
europæus, 246.
melanotis, 112.
virginianus, 245.
Lincoln, F. C., White-footed mice as camp companions, 185.
Lutra canadensis, 251.
Lutreola lutreocephala, 264.
Lynx rufus, 252.
Lyon, M. W., Jr., A stray coati in Indiana, 184.

M

Macaca philippensis, 89.
rhesus, 69.
Marmota flaviventer, 60.
monax, 248.
Martes **coreensis, 27.**
Mephitis mephitis, 251.
platyrhina, 266.
varians, 109.
Metaxytherium floridanum, 233.
Microtus **abditus, 36.**
angusticeps, 36.
chrotorrhinus, 125.
macrurus, 34.
nemoralis, 110.
ochrogaster, 110.
pennsylvanicus, 246, 264.
townsendii, 33.
mink, 22, 109, 251, 264.
Mitchell, J. D., "Mexican polecat," "hydrophobia cat," Spilogale indianola, of southern Texas, 49.
mole, 9, 51, 79, 107, 253, 264.
Brewer's, 250.
star-nosed, 167, 183, 250.
mole-shrew, 264.
Monachus tropicalis, 55.
Mori, T., New name for a Korean flying squirrel, 191.
mouse, Baird's white-footed, 247.
Canadian white-footed, 247.
deer, 186, 263.
Fischer's white-footed, 247.
forest deer, 109.
golden, 263.
harvest, 109, 264.
house, 110, 248, 263.
jumping, 246, 263.
prairie deer, 109.
white-footed, 185.
Mus musculus, 110, 248, 263.
muskrat, 22, 55, 218, 247, 264.
great plains, 110.
Mustela allegheniensis, 121.
cicognanii, 26, 251.
letifera, 109.
longicauda, 108.
noveboracensis, 251.
vison, 251.
Myotis lucifugus, 250.
subulatus, 250.

N

Napæozapus insignis, 127.
Nasua narica, 184.
Neotoma baileyi, 109.
fuscipes, 1.
occidentalis, 60.
pennsylvanica, 125, 187.
Nycteris borealis, 61, 251, 264.
cinerea, 192, 251.
Nycticeius humeralis, 264.

O

Ochotona, 60.
Odocoileus borealis, 245.
Ondatra cinnamomina, 110.
mergens, 56.
opossum, 107, 263.
Oryzomys palustris, 264.
otter, 251.
sea, 215.

P

Pan, 70.
Panolax, 191.
Parascalops breweri, 183, 250.

Perognathus angustirostris, 57.
pallidus, 57.
paradoxus, 111.
Peromyscus aureolus, 263.
bairdii, 109, 185, 247.
gracilis, 247.
leucopus, 263.
noveboracensis, 109, 186, 247.
stephensi, 266.
Petaurista **hintoni, 191.**
thomasi, 27.
Phenacomys longicaudus, 125.
Phillips, J. C., A swimming woodchuck, 256.
Phocæna phocæna, 211.
Pipistrellus subflavus, 264.
pocket-mouse, Kansas, 111.
polecat, Mexican, 49.
Poole, E. L., Neotoma in Berks County, Pennsylvania, 125.
porcupine, 190, 246.
porpoise, 211.
Praotherium palatinum, 260.
Preble, E. A., Death of Frank Blake Webster, 196.
Procyon cancrivorus, 69.
lotor, 74, 108, 251.

R

rabbit, cottontail, 263.
great plains jack, 112.
white-tailed jack, 111.
raccoon, 251.
Rangifer terrænovæ, 122.
rat, brown, 110.
cotton, 264.
dusky-footed wood, 1.
Norway, 188, 248.
Pennsylvania wood, 187.
ricefield, 264.
roof, 263.
Rattus alexandrinus, 263.
norvegicus, 110, 248.
recent literature, 62, 130, 197, 267.
Reithrodontomys, 109.
humulis, 264.
rhinoceros, square-lipped, 155.
Robinson, W., Woodchucks and chipmunks, 256.
Rowan, W., An unusual wapiti head, 112.

S

Scalopus aquaticus, 183, 264.
machrinoides, 12, 79, 107.
Scapanus occultus, 253.
Schultz, A. H., Bregmatic fontanelle bones in mammals, 65; review of Huber's Ueber das Muskelgebiet des Nervus facialis beim Hund, nebst allgemeinen Betrachtungen über die Facialis-Muskulatur, 199.
Sciuropterus volans, 129, 263.
Sciurus carolinensis, 111, 257.
leucotis, 59, 249.
loquax, 249.
rufiventer, 111.
seal, bearded, 214.
West Indian, 55.
Seton, E. T., The mane on the tail of the gray fox, 180; The value of moles, 51.
Sheldon, C., The "unprovoked" attack by a "brown" bear, 51.
shrew, bob-tailed, 108.
eastern short-tailed, 249.
elephant, 261.
masked, 250.
smoky, 250.
Sigmodon hispidus, 264.
Simia syrichta, 89.
Simpson, S. E., The nest and young of the star-nosed mole (Condylura cristata), 167.
Skinner, M. P., A castrated elk, 252; Horn shedding in the Yellowstone Park, 185; Rancher killed by grizzly bear in Montana, 53.
skunk, 49, 251.
long-tailed Texas, 109.
prairie spotted, 109.
Smith, H. A. P., Friendship between fox and caribou, 122.

Snyder, L. L., A method employed by a black squirrel in carrying its young, 59.
Soper, J. D., The mammals of Wellington and Waterloo Counties, Ontario, 244; The rare Napæozapus insignis, 127.
Sorex amœnus, 266.
fumeus, 250.
myops, 266.
personatus, 250.
tenellus, 266.
Spilogale indianola, 49.
interrupta, 109.
squirrel, black, 59.
flying, 263.
gray, 128, 129, 257.
northern gray, 249.
red, 127, 249.
Sylvilagus mallurus, 263.
mearnsii, 112, 245.
Synaptomys fatuus, 246.
gossii, 110.

T

Tamias lysteri, 29, 248.
striatus, 135.
Tarsius philippensis, 91.
syrichtus, 91.
Taxidea taxus, 109.
Taylor, W. P., and C. T. Vorhies, Kangaroo rats and scorpion mice on the Santa Rita Reserve, Arizona, 255.
Thomomys bulbivorus, 189.
hesperus, 189.
leucodon, 189.
monticola, 142.
oregonus, 189.
pallescens, 126, 146.
townsendi, 37.
Townsend, C. H., The West Indian seal, 55.

U

Ursus americanus, 251.
primaevus, 240.

V

vole, meadow, 246, 264.
prairie, 110.
red-backed, 246.
woodland, 110.
Vulpes deletrix, 122.
fulva, 251.

W

Wagner, G., An odd malformation in a woodchuck, 21.
Walker, A., A note on the winter habits of Eutamias townsendii, 257.
Walker, E. P., The red squirrel extending its range in Indiana, 127.
walrus, 212, 224.
wapiti, 112.
weasel, Bonaparte's 251.
New York, 251.
small brown, 26.
Wetmore, A., The wood rat in Maryland, 187.
whale, beaked, 209.
killer, 210.
sperm, 210.
Williams, E. W., Young gray squirrels at Hudson, Wisconsin, 128.
wolf, Cascade timber, 54.
timber, 252.
wolverene, 54.
woodchuck, 21, 105, 248, 256.
wood-rat, Bailey, 109.
Wyman, L. C., A hungry porcupine, 190; Microtus chrotorrhinus in Maine, 125.

Z

Zapus americanus, 263.
hudsonius, 246.